

Steel Line Pipe Confirming to API 5L

NB.	OD	Wall Thickness	Schedule No.	Plain End Weight		STD Test Pressure				
				(Inch)	(mm)	(mm)	-	kg/m	Lb/ft	Grade A
4	101.6	4	-	9.63	6.41	114	137	150	171	194
4	101.6	4.4	-	10.55	-	123	143	172	188	207
4	101.6	4.8	-	11.46	7.66	134	156	188	205	207
4	101.6	5.7	STD 40	13.48	9.12	154	172	207	207	207
4	101.6	6.4	-	15.02	10.02	154	172	207	207	207
4 1/2	101.6	4	-	10.88	7.24	87	101	122	133	151
4 1/2	114.3	4.4	-	11.92	-	96	111	134	146	166
4 1/2	114.3	4.8	-	12.96	8.67	104	121	146	160	181
4 1/2	114.3	5.2	-	13.99	-	113	132	158	173	196
4 1/2	114.3	5.6	-	15.01	10.02	122	142	170	186	207
4 1/2	114.3	6	STD 40	16.02	10.8	130	152	183	200	207
4 1/2	114.3	6.4	-	17.03	11.36	139	162	195	207	207
5 9/16	141.3	4	-	13.54	9.02	70	82	97	107	121
5 9/16	141.3	4.8	-	16.16	10.8	84	98	117	129	145
5 9/16	141.3	5.6	-	18.74	12.51	98	115	137	150	170
5 9/16	141.3	6.6	-	21.92	14.63	116	135	161	177	199
6 5/8	168.3	4	-	16.21	-	59	68	102	112	127
6 5/8	168.3	4.4	-	17.78	-	64	75	113	123	140
6 5/8	168.3	4.8	-	19.35	12.94	70	82	123	135	152
6 5/8	168.3	5.2	-	20.91	-	76	89	133	145	165
6 5/8	168.3	5.6	-	22.47	15	82	96	143	157	178
6 5/8	168.3	6.4	-	25.55	17.04	94	109	164	179	203
6 5/8	168.3	7.1	STD 40	28.22	18.99	105	123	183	201	207
8 5/8	219.1	4.8	-	25.37	16.96	54	63	94	103	117
8 5/8	219.1	5.2	-	27.43	18.28	54	63	102	112	127
8 5/8	219.1	5.6	-	29.48	19.68	63	74	110	121	136
8 5/8	219.1	6.4	20	33.57	22.38	72	84	126	138	156
8 5/8	219.1	7	30	36.61	24.72	80	93	139	153	173
8 5/8	219.1	7.9	-	41.14	27.73	90	105	157	172	194
8 5/8	219.1	8.2	STD 40	42.65	28.58	92	108	162	178	200
8 5/8	219.1	8.7	-	45.14	30.45	99	116	173	189	207
10 3/4	273.1	5.2	-	34.35	22.89	43	58	93	102	115
10 3/4	273.1	5.6	-	36.94	24.65	50	59	100	110	124
10 3/4	273.1	6.4	20	42.09	28.06	58	68	114	125	142
10 3/4	273.1	7.1	-	46.57	31.23	64	75	127	140	158
10 3/4	273.1	7.8	30	51.03	34.27	71	83	141	154	174
10 3/4	273.1	8.7	-	56.72	38.27	79	92	157	172	195
10 3/4	273.1	9.3	STS 40	60.5	40.52	84	99	167	183	207
12 3/4	323.9	5.6	-	43.96	29.34	43	50	85	92	105
12 3/4	323.9	6.4	20	50.11	33.41	49	56	96	105	119
12 3/4	323.9	7.1	-	55.47	37.46	54	64	108	119	134
12 3/4	323.9	7.9	-	61.56	41.48	61	71	121	132	149
12 3/4	323.9	8.4	30	60.35	43.81	64	75	127	139	158
12 3/4	323.9	8.7	STD	67.62	45.62	67	78	133	145	165
12 3/4	323.9	9.5	10	73.65	49.61	73	85	145	158	179
14	355.6	6.4	-	55.11	36.75	44	52	88	96	109
14	355.6	7.1	-	61.02	41.21	50	58	99	108	122